

Autocar Expert MY 2020 Medium Duty 4X2 Class 7 Standard and Optional Specifications

ENGINE AND EQUIPMENT	STANDARD	OPTIONAL
ENGINE ASSY	B 6.7 '17, 200 HP / 2600RPM / 520 FT-LB, CUMMINS	B 6.7 '17, 220 HP / 2600RPM / 520 FT-LB, CUMMINS B 6.7 '17, 240 HP / 2600RPM / 560 FT-LB, CUMMINS B 6.7 '17, 260 HP / 2600RPM / 660 FT-LB, CUMMINS L9 '17, 260 HP / 2200RPM / 720 FT-LB, CUMMINS L9 '17, 270 HP / 2200RPM / 800 FT-LB, CUMMINS L9 '17, 350 HP / 2200RPM / 1000 FT-LB, CUMMINS L9 '17, 350 Hi HP / 2200RPM / 1150 FT-LB, CUMMINS L9 '17 300HP / 2200RPM / 860 LB-FT, CUMMINS L9 '17 330HP / 2200RPM / 1000 LB-FT, CUMMINS L9N '18 250 HP @ 730 FT-LB L9N '18 260 HP @ 660 FT-LB L9N '18 300 HP @ 860 FT-LB RH HORIZONTAL SMA LH VERTICAL CATALYST RH HOR CATALYST LH FRAME MTD 5 GAL. CAPACITY LH FRAME MTD 10 GAL. CAPACITY RH FRAME MTD 10 GAL. CAPACITY NO DEF TANK PROVIDED 13" ONE STAGE WITH SAFETY ELEMENT 1000 SQ. IN. ALUMINUM RADIATOR GUARD 2-SPEED FAN
MUFFLER SYSTEM (DIESEL) MUFFLER SYSTEM (GAS)	LH VERTICAL SMA	
UREA DELIVERY SYSTEM	RH FRAME MTD 5 GAL. CAPACITY	
AIR CLEANER RADIATOR RADIATOR SHELL/HOOD BEZEL FAN & DRIVE-ENGINE COOLANT HOSES RADIATOR COOLANT ENGINE BLOCK HEATER HEATER RECEPTICAL LOCATION-ENGINE STARTING AID-GLOW PLUG HEATER-ENGINE OIL PAN ENGINE IDLE SHUT DOWN BRAKE-ENGINE EXHAUST PIPING	13" ONE STAGE 1000 SQ. IN. 3 ROW HIGH CAPACITY, COPPER / BRASS NO RADIATOR GUARD FAN CLUTCH, VISCOUS SILICONE HOSES WITH STEEL TUBING EXTENDED LIFE COOLANT NO ENGINE BLOCK HEATER PROVIDED NO BLOCK HEATER RECEPT. PROVIDED GRID HEATER NO OIL PAN HEATER PROVIDED ENGINE IDLE SHUT DOWN ENABLED (5 MINUTES) NO ENGINE BRAKE PROVIDED NO EXHAUST BLANKETS	PHILLIPS 120V 1000 WATT RECEPTACLE LOCATED AT CAB STEPS, RH SIDE NO ELECTRIC STARTING AID PROVIDED ZERO-START, 120V-150W, OIL PAN HEATER ENGINE IDLE SHUT DOWN DISABLED CUMMINS VGT EXHAUST BRAKE EXHAUST BLANKETS
TRANSMISSION AND EQUIPMENT	STANDARD	OPTIONAL
TRANSMISSION TRANSMISSION GEARING TRANSMISSION CONTROLS COOLER-TRANSMISSION OIL TRANSMISSION LUBRICANT DRIVESHAFT-MAIN TRANSMISSION SUPPORTS PTO-TRANSMISSION MOUNTED	ALLISON 2500-SERIES, 6-SPEED 6-SPEED ARENS PUSH BUTTON CONTROLS OIL TO WATER TYPE TRANSYND SYNTHETIC AUTO TRANS FLUID SPICER 1710HD HALF ROUND NO TRANSMISSION SUPPORTS PROVIDED NO TRANSMISSION MOUNTED PTO PROVIDED	ALLISON 3000 SERIES,6-SPEED ALLISON 3500 SERIES,6-SPEED ALLISON PUSHBUTTON CONTROLS REMOTE MOUNTED TOC TRANSMISSION REAR SUPPORT PTO PREP - 2500 TRANSMISSION W/ REAR SUPPORT PTO PREP - 3000/3500 TRANSMISSION W/ REAR SUPPORT MUNCIE CS6B-A6705-S1SS MUNCIE CS24-A1010-H3BX TRANSMISSION REMOTE BREATHER OIL FILL TUBE / DIPSTICK W / LEVEL SENSOR W / REMOTE BREATHER
TRANSMISSION BREATHER TRANSMISSION OIL FILL/CHECK	NO REMOTE TRANSMISSION BREATHER OIL FILL TUBE / DIPSTICK W/ LEVEL SENSOR	
FRONT AXLE AND EQUIPMENT	STANDARD	OPTIONAL
FRONT AXLE FRONT SUSPENSION SHOCK ABSORBERS-FRONT STEERING GEAR	DANA 1202W STEER AXLE, 12000 LB CAPACITY 5500 LB FLATLEAF 12,500 GROUND CAPACITY DOUBLE ACTING SINGLE - HEAVY DUTY INTEGRAL POWER STEERING W/O ASSIST RAM TAS65	6,000 LB FLAT LEAF, 13,200K GND CAP DUAL INTEGRAL POWER STEERING TAS65 INTEGRAL POWER STEERING W/O ASSIST RAM T100 DUAL INTEGRAL POWER STEERING T100
POWER STEERING RESERVOIR BRAKE CONTROL SYSTEM	TWO QUART REMOTE MOUNTED ABS 4S/4M W/PLC	ABS 4S/4M W/PLC AND ATC

Autocar Expert MY 2020 Medium Duty 4X2 Class 7 Standard and Optional Specifications

BRAKES-FOUNDATION, FRONT AXLE	MERITOR 15x4 Q PLUS	MERITOR 16.5X5 QP
BRAKE DRUM-FRONT	CAST IRON	
BRAKE SLACK ADJUSTERS-FRONT AXLE	MERITOR AUTOMATIC	
HUBS-FRONT	STEEL HUB PILOTED,285MM BOLT CIRCLE	
FRONT AXLE LUBRICANT	STANDARD	SYNTHETIC,DANA SPICER EP75W90,OR EQUIV
DUST SHIELDS - FRT BRAKES	NO FRONT BRAKE DUST SHIELDS PROVIDED	DUST SHIELDS - FRONT BRAKES
REAR AXLE AND EQUIPMENT	STANDARD	OPTIONAL
AXLE MODEL	MERITOR RS24-160, SINGLE REDUCTION AXLE (6.14 : 1 RATIO)	DANA SPICER 21060S 21,000 LB CAPACITY (6.17 or 7.17 : 1 RATIO) DANA SPICER S21 - 170E SINGLE SPEED 21,000 LBS (6.17 or 7.17 : 1 RATIO) DANA SPICER 21065T TWO SPEED 21,000 LBS (6.17/8.42 or 7.17/9.77 : 1 RATIO)
REAR SUSPENSION	HENDRICKSON HTS 21,000 LBS	HAS - 210 AIR RIDE SUSPENSION
SHOCK ABSORBERS-REAR	2 SHOCK ABSORBERS	FOR AIR SUSPENSION - OUTBOARD MOUNTED FOR AIR SUSPENSION - INBOARD MOUNTED NO SHOCK ABSORBERS REAR SUSP. PROVIDED
BRAKE CONTROL SYSTEM	ABS 6S/4M W/PLC	ABS 6S/4M W/ATC & PLC
BRAKES-FOUNDATION, REAR AXLE	MERITOR 15X4 Q PLUS	MERITOR 16.5X5 QP
BRAKE DRUMS	CAST IRON	
BRAKE SLACK ADJUSTERS-REAR AXLE	ARVIN MERITOR AUTOMATIC-SINGLE AXLE	
HUBS-REAR	IRON HUB, HP 10 STUD	
REAR AXLE LUBRICANT	STANDARD	SYNTHETIC
REAR DRIVE AXLE STOPS	REAR BUMPSTOPS REQUIRED	NO REAR BUMPSTOPS REQUIRED
REAR DRIVE AXLE ANTI-SPIN DEVICES	NO ANTI-SPIN DEVICES PROVIDED	SINGLE AXLE FULL LOCKING WHEEL DIFF.
TORQUE RODS	LONGITUDINAL ONLY - RUBBER BUSHED	LONGITUDINAL & TRANSVERSE - RUBBER BUSHED
WHEEL OIL SEALS-REAR	SCOTSEAL PLUS XL	
DUST SHIELDS - REAR BRAKES	NO REAR AXLE DUST SHIELDS PROVIDED	DUST SHIELDS - REAR BRAKES
CHASSIS AND EQUIPMENT	STANDARD	OPTIONAL
WHEELBASE	164 INCHES	132, 135, 136, 138, 141, 144, 147, 149 INCHES 151, 152, 155, 157, 158, 161, 166, 167, 170, 171, 174, 178 INCHES 181, 184, 186, 190, 193, 196 INCHES 200, 203, 206, 209, 212, 215, 218, 220, 221, 222, 227, 234, 247 INCHES RANGE BY REQUEST
FRAME RAILS	10" X 3" X 3/8" 120KSI STRAIGHT RAIL SECTION - 2.13M RBM	
FRAME REINFORCEMENT INNER	NO INNER FRAME REINFORCEMENT PROVIDED	.25" LINER, STANDARD LENGTH
FRAME FASTENERS	HUCK BOLTS	FASTENERS AVAILABLE BY REQUEST FOR BODY MOUNTING
BUMPER FRONT	STANDARD DUTY BUMPER	HEAVY DUTY
TOW DEVICE(S)	TWO TOW HOOKS INTEGRAL W/X-MEMBER	
FRAME-FRONT EXTENSION	NO FRONT FRAME EXTENSION PROVIDED	HD FRONT MOUTING EQUIPMENT (LOAD CAP 4000NM, 2950 TO 3800NM, 2800 FT. LBS.)
FRAME-REAR CUT-OFF	STRAIGHT	NOTCH FOR SWEEPER BODY
FRAME CROSSMEMBER-CENTER	7-PIECE STEEL CROSSMEMBERS	
FRAME CROSSMEMBER-OVERHANG	7 PC STEEL CMBR ROS - IF REQUIRED	
FRAME CROSSMEMBER-END CLOSING	NO FRAME END CLOSING X-MEMBER PROVIDED	STEEL
AIR TANK MOUNTING	AS MANY TANKS IN RAIL AS POSSIBLE	
PNEUMATIC SYSTEM (RAPID FILL)	STANDARD	OPTIONAL
AIR COMPRESSOR	CUMMINS WABCO 18.7 CFM COMPRESSOR	
AIR RESERVOIR DRAIN SYSTEM	PULL CORDS ALL TANKS	PULL CORDS WITH DV/2 WET TANK DRAIN PULL CORDS WITH HEATED DV/2 WET TANK DRAIN CENTRAL DRAIN MANIFOLD WITH DV/2 WET TANK DRAIN CENTRAL DRAIN MANIFOLD WITH HEATED DV/2 WET TANK DRAIN DV/2 IN ALL TANKS (NON-HEATED) CENTRAL DRAIN MANIFOLD W/HTD DV/2 WET TANK DRAIN/SCHRADER CHARGE PORT
AIR TANK-BRAKE	STEEL TANKS FOR SINGLE AXLE	
AIR LINES-MAIN, CHASSIS	SAE J844 NYLON TUBING	
AIR DRYER	WABCO 1200 PLUS AIR DRYER	WABCO 1200 PLUS AIR DRYER W/HALDEX CONSEP CONDENSER/SEPARATOR
EMERGENCY AIR SYSTEM CHARGING	NO EMERGENCY CHARGING SYSTEM	SINGLE GLADHAND, FRONT BUMPER, WET TANK

Autocar Expert MY 2020 Medium Duty 4X2 Class 7 Standard and Optional Specifications

FUEL SYSTEM	STANDARD	OPTIONAL
FUEL TANK-LEFT	TEMP. FUEL TANK	50 GAL RECT STEEL TANK, LH MOUNTED 50 GAL ALUMINUM RECR TANK, LH MOUNTED 75 GAL 26" DIA UNPAINTED ALUMINUM 75 GAL 26" ROUND STEEL TANK 100 GAL 26" DIA UNPAINTED ALUM 100 GAL 26" DIA STEEL ALTERNATE FUEL ENGINE-NO LH TANK DELETE LHS FUEL TANK
FUEL TANK-RIGHT	DELETE RHS FUEL TANK	50 GAL RECT STEEL TANK, RH MOUNTED 50 GAL ALUMINUM RECT TANK, RH MOUNTED 75 GAL 26" DIA UNPAINTED ALUMINUM 75 GAL 26" DIA STEEL 100 GAL 26" DIA UNPAINTED ALUM 100 GAL 26" DIA STEEL
FUEL TANK MOUNTING LHS	FUEL TANK MTD FWD LHS - STD (IF PROVIDED)	FUEL TANK MTD LHS OTHER THAN STD - SPECIFY NO LH FUEL TANK POSITION
FUEL TANK MOUNTING RHS	NO RH FUEL TANK POSITION	FUEL TANK MTD FWD RHS - STD (IF PROVIDED) FUEL TANK MOUNTED RHS OTHER THAN STD - SPECIFY
FUEL FILTER ENGINE MOUNTED	SPIN-ON, ENGINE MOUNTED	NATURAL GAS FUEL CLEANER
FUEL FILTER CHASSIS MOUNTED	FLEETGUARD FS SERIES F / W SEPARATOR, PROBE & DASH LIGHT	FLEETGUARD FS SERIES F / W HEATER, SEPARATOR, PROBE & DASH LIGHT NO ADDITIONAL FUEL FILTER PROVIDED
FUEL LINES	SAE J844 NYLON TUBING	STAINLESS STEEL FOR CNG OR LNG
TIRES AND WHEELS	STANDARD	OPTIONAL
TIRE SIZE & LOAD RANGE - FRONT	11R22.5G	11R22.5H 12R22.5H 275/70R22.5J 295/75R22.5G
WHEELS-DISC FRONT	22.5x8.25 STEEL HP, 6.18 INSET, 5HH	22.5x8.25 ALUMINUM HP, 5.79 INSET, ALCOA #883677 LV1 FINISH 22.5 x 8.25, ALUMINUM HP, 5.71 INSET, ACCURIDE 22.5X9.00 ALUMINUM HP, 5.96 INSET, ALCOA #89U64 22.5X9.00 ALUMINUM HP, 6.02 INSET, ACCURIDE (WEIGHT REDUCTION) 22.5x9.0 STEEL HP, 6.38 INSET, 5HH 22.5X9.0 STEEL, HP, 5.25 INSET, 5HH, ACCURIDE #29039
TIRE SIZE & LOAD RANGE - REAR	11R22.5G	12R22.5H 12R22.5J 275/70R22.5J 295/75R22.5G 455/55R22.5M
WHEELS-DISC REAR	22.5X8.25 STEEL, HP, 5HH	22.5X9.00 ALUMINUM HP, ACCURIDE (WEIGHT REDUCTION) 22.5X8.25 ALUMINUM HP, ALCOA #883677 LV1 FINISH 22.5X14 ALUMINUM HP, ALCOA #840608 LV1 FINISH 22.5X9 ALUMINUM HP, 5.96 INSET, ALCOA #89U64 22.5 x 8.25, ALUMINUM HP, ACCURIDE
ELECTRICAL SYSTEM	STANDARD	OPTIONAL
ELECTRICAL SYSTEM	12V, NEGATIVE GROUND	
ALTERNATOR	DELCO REMY 12V 130AMP 22SI	DELCO REMY 36SI 12V 160 AMP DELCO REMY 160 AMP, 28SI PAD MTD W/REMOTE SENSE DELCO REMY 200 AMP, 28SI PAD MTD.
STARTING MOTOR	DENSO 12V STARTER W/OCP	DELCO REMY 12V 39 MT W/OCP
BATTERY	2 BATTERIES, 12V, 1500CCA	2 BATTERIES, 31 ECL, 12V, 1900CCA 2 BATTERIES, 31 ECL, 12V, 2000CCA
BATTERY BOX	BATTERY BOX, 2 BATTERY CAPACITY	
BATTERY SHUT-OFF SWITCH	NO BATTERY SHUT-OFF SWITCH PROVIDED	SHUTOFF W/ LOCKOUT & EMERGENCY JUMPER STUDS
WIRING, BODY INTERFACE	NO BODY INTERFACE OPTION	RP 170 COMPLIANT
BACKUP ALARM	ECCO SMART ALARM SA917	ECCO RMS 917 WITH MOTION DETECTOR XXXX

Autocar Expert MY 2020 Medium Duty 4X2 Class 7 Standard and Optional Specifications

WINDSHIELD WIPERS
HORN
HORN-AIR

ELECTRIC INTERMITTENT WIPERS
SINGLE ELECTRIC
NO AIR HORN PROVIDED

NO BACKUP ALARM PROVIDED

TWIN MOUNTED UNDER CAB

LIGHTING	STANDARD	OPTIONAL
LAMPS-HEAD LAMPS-RUNNING LAMPS-STOP-TAIL	RECTANGULAR SEALED BEAM NO DAYTIME RUNNING LIGHTS PROVIDED NO TAIL OR BACK-UP LAMPS PROVIDED	LED HEADLAMPS DAYTIME DOT 4 INCANDESCENT TAIL (TURN/BRAKE/BACK-UP) LAMPS DOT 4 LED TAIL (TURN/BRAKE/BACK-UP) LAMPS DUAL LED TRUCKLITE MODEL 44 STD TAIL LAMP WIRING LED FRONT TURN SIGNALS CLEARANCE (ROOF CORNER) LAMPS WIRED TO BATTERY SHUT OFF (LINK TO DISCONNECT SWITCH)
STOP-TAIL HARNESS LAMPS-TURN SIGNAL -FRONT LAMPS-MARKER	OMIT TAIL LAMPS, BB CONN @ EOF AMBER FRONT TURN SIGNALS AMBER LED ROOF MARKERS	

CAB AND EQUIPMENT	STANDARD	OPTIONAL
CAB SHELL	SINGLE LEFT HAND DRIVE CAB	DUAL DRIVE LH AND RH SIT SINGLE RIGHT HAND DRIVE CAB
CAB DOORS STEP-CAB ACCESS, CAB MOUNTED CAB FLOOR CAB DASH OVERHEAD CONSOLE CAB MOUNTING CAB TILT MECHANISM-C.O.E. MIRRORS-DUAL WEST COAST	STEEL DOORS W/DUAL POWER WINDOWS DUAL SELF CLEANING CAB ENTRANCE STEPS WEAR RESISTANT MAT WITH FOAM BACK DARK GREY WRAP-AROUND, 2X OVERSIZED CUP HOLDERS 2X STORAGE BINS, CENTER MOUNTED RADIO SLEEVE PROGRESSIVE RUBBER MOUNTS - FRONT COIL AND SHOCK ABS - REAR HYDRAULIC TILT WITH OUTO ENGAGE SAFETY LATCH MIRROR, BLACK, MOTORIZED/HTD POLYCARBONATE HOUSING W/SQUARE MOTORIZED/HTD CONVEX MIRROR	MIRROR, CHROME, HTD, REMOTE, W / LWR HTD CONVEX LOW MOUNT 8 CONVEX MIRROR BLACK POLYCARBONATE HOUSING HIGH MOUNT 8 CONVEX, CHROME SINGLE DOWN VIEW MIRROR, RH SIDE DUAL DOWN VIEW MIRRORS, ONE EACH SIDE CHROMED AUTOCAR GRILLE AUTOCAR GRILLE WITH REMOVABLE WINTERFRONT COVER AUTOCAR CHROME GRILLE WITH REMOVABLE WINTERFRONT COVER
MIRRORS-AUXILIARY	NO CONVEX AUX. MIRRORS PROVIDED	
DOWN VIEW MIRRORS	NO DOWN VIEW MIRRORS PROVIDED	
GRILLE	AUTOCAR GRILLE BLACK	
CAB CLIMATE CONTROL SYSTEM	44,000 BTU FRESH AIR, HEATER AND AIR CONDITIONER, DIGITAL CLIMATE CONTROL	
STEERING COLUMN STEERING WHEEL	ADJ. TILT AND TELESCOPIC STEERING COLUMN SINGLE DRIVE 16 INCH DIAMETER	DUAL ADJ. TILT AND TELESCOPIC STEERING COLUMNS SINGLE DRIVE 18 INCH DIAMETER DUAL DRIVE 16 INCH DIAMETER DUAL DRIVE 18 INCH DIAMETER
SEAT-DRIVER	STANDARD MECHANICAL SUSPENSION WITH ADJ. DAMPENER	ISRI HT914 HIGH BACK, AIR RIDE W/ RH ARM REST AND LUMBAR SEARS SEAT W/ AIR RIDE SUSP, W/ AIR CONTROLLED LUMBAR SUPPORT
SEAT-PASSENGER	STANDARD MECHANICAL SUSPENSION SEAT WITH ADJ. DAMPENER	ISRI HT914 HIGH BACK, AIR RIDE W/ LH ARM REST AND LUMBAR SEARS SEAT W/ AIR RIDE SUSP, W/ AIR CONTROLLED LUMBAR SUPPORT
ADDITIONAL SEAT - PASSENGER SEAT COVERING SEAT BELT	NO THIRD MAN SEAT AND LAP BELT PROVIDED BLACK CONDURA PLUS® CLOTH FABRIC THREE POINT RETRACTABLE	THIRD MAN SEAT AND LAP BELT - CENTER MOUNTED THREE POINT RETRACTABLE BRIGHT ORANGE COLOR 3RD MAN SEAT AND LAP BELT -CENTER MOUNTED
SUN VISORS RADIO	LEFT AND RIGHT SIDE RADIO PREP IN OVERHEAD CONSOLE	AM/FM / CD STEREO, ROOF MTD AM/FM/WB/MP3/CD/USB/BLUETOOTH
POWER PORT ADDITIONAL ELEC. SWITCHES	12V AND DASH MOUNTED CIGAR LIGHTER NO ADDITIONAL ELEC. SWITCHES	2 DASH SWITCHES, WIRED TO POWER (2) DASH SWITCHES, (1) WIRED TO POWER FOR ROOF BEACON LIGHT
BRAKE VALVE & PEDAL	FIREWALL MTD LH BRAKE PEDAL FOR LHD	FIREWALL MTD RH BRAKE PEDAL FOR RHD FIREWALL MTD LHS, FLOOR MTD RH FOR DUAL DRIVE
PTO CONTROLS	NO TRANSMISSION PTO CONTROLS PROVIDED	PTO ELECTRIC CONTROL SWITCH

Autocar Expert MY 2020 Medium Duty 4X2 Class 7 Standard and Optional Specifications

LAMPS-CAB INTERIOR	LED DOME LAMPS	FLEX MAP
KEY & LOCK SETS-IGN/DOORS	2 ADDITIONAL KEYS PER TRUCK (4 TOTAL)	4 ADDITIONAL KEYS PER TRUCK (6 TOTAL)
DRIVER MONITORING SYSTEM	NO DRIVER CAM WIRING PREP OVERHEAD CONSOLE	KEYED ALIKE FLEET SET #1 (23112213)
CAMERAS	NO CAMERAS OR PREP PROVIDED	DRIVER CAM WIRING PREP OVERHEAD CONSOLE
TRUCK ELECTRICAL CONTROL MODULE	NO ELECTRONIC CONTROL MODULE	3RD EYE CAMERA PREP (CAB ONLY)
VEHICLE MONITORING SYSTEM	NO GEOTAB TRUCK MONITOR OR PREP	DIAGNOSTIC AND INFORMATION DISPLAY
		GEOTAB TRUCK MONITOR PREP
		GEOTAB TRUCK MONITOR

PAINT	STANDARD	OPTIONAL
CAB PAINT TYPE	STANDARD WHITE	CAB FIRST COLOR OTHER THAN STD, NON METALLIC
CHASSIS COLOR	BLACK P3036	CAB FIRST COLOR, METALLIC
BUMPER COLOR	BUMPER COLOR SAME AS CAB WHITE	CHASSIS COLOR OTHER THAN STD. - SPECIFY
DISC WHEEL OR RIM COLOR	STEEL, E-COAT WHITE / ALUM-UNPAINTED	PAINT SAME AS CAB, STEEL
AXLE WHEELEND COLOR	SAME AS CHASSIS	BUMPER COLOR SAME AS CHASSIS
		CUSTOM COLOR - SPECIFY (PRICE PER WHEEL)
		STEEL, E-COAT GREY/ ALUM-UNPAINTED

BASIC WARRANTIES (INDUSTRY BEST)	STANDARD	OPTIONAL
CHASSIS WARRANTY	STANDARD WARRANTY	EXTENDED WARRANTY - 2 YEARS / 200K MILES
		EXTENDED WARRANTY - 3 YEARS / 300K MILES
		EXTENDED WARRANTY - 4 YEARS / 350K MILES
		EXTENDED WARRANTY - 5 YEARS / 400K MILES
ENGINE WARRANTY	CUMMINS STANDARD WARRANTY (2 YRS -ISL, 3 YRS ISB)	2017 B6.7 HD1 4YRS/200K MILES EXTENDED WARRANTY PP1 MATRIX #231132
		2017 B6.7 HD1 5YRS/150K MILES EXTENDED WARRANTY PP1 MATRIX #231132
		2017 B6.7 HD1 5YRS/250K MILES EXTENDED WARRANTY PP1 MATRIX #231132
		2017 B6.7 HD1 5YRS/300K MILES EXTENDED WARRANTY PP1 MATRIX #231132
		2017 L9 HD1 3YRS/100K MILES EXTENDED WARRANTY PP1 MATRIX #231157
		2017 L9 HD1 3YRS/150K MILES EXTENDED WARRANTY PP1 MATRIX #231157
		2017 L9 HD1 4YRS/200K MILES EXTENDED WARRANTY PP1 MATRIX #231157
		2017 L9 HD1 5YRS/150K MILES EXTENDED WARRANTY PP1 MATRIX #231157
		2017 L9 HD1 5YRS/250K MILES EXTENDED WARRANTY PP1 MATRIX #231157
		2017 L9 HD1 5YRS/300K MILES EXTENDED WARRANTY PP1 MATRIX #231157
		2018 L9N GE1 5 YRS/150K MILES EXTENDED WARRANTY PP1 MATRIX #334196
		2018 L9N GE1 5 YRS/200K MILES EXTENDED WARRANTY PP1 MATRIX #334196
CUMMINS AFTERTREATMENT	NO EXTENDED AFTERTREATMENT WARRANTY (2 YRS -ISL, 3 YRS ISB)	2017 B6.7 AT3 AFTERTREATMENT 5YRS/150K MILES EXT WARRANTY MATRIX #231345
		2017 B6.7 AT3 AFTERTREATMENT 4YRS/200K MILES EXT WARRANTY MATRIX #231345
		2017 B6.7 AT3 AFTERTREATMENT 5YRS/250K MILES EXT WARRANTY MATRIX #231345
		2017 B6.7 AT3 AFTERTREATMENT 5YRS/300K MILES EXT WARRANTY MATRIX #231345
		2017 L9 AT3 AFTERTREATMENT 3YRS/100K MILES EXT WARRANTY MATRIX #231545
		2017 L9 AT3 AFTERTREATMENT 3YRS/150K MILES EXT WARRANTY MATRIX #231545
		2017 L9 AT3 AFTERTREATMENT 4YRS/200K MILES EXT WARRANTY MATRIX #231545
		2017 L9 AT3 AFTERTREATMENT 5YRS/150K MILES EXT WARRANTY MATRIX #231545
		2017 L9 AT3 AFTERTREATMENT 5YRS/250K MILES EXT WARRANTY MATRIX #231545
		2017 L9 AT3 AFTERTREATMENT 5YRS/300K MILES EXT WARRANTY MATRIX #231545
TRANSMISSION WARRANTY	ALLISON 3YR WARRANTY	ALLISON 5YR WARRANTY

VEHICLE RATINGS	STANDARD
VEHICLE TARE WEIGHT, FRONT	7,941 lbs.
VEHICLE TARE WEIGHT, REAR	3,777 lbs.
GAWF	12000 LBS
GAWR	21000 LBS
GVWR	33000 LBS

VOCATION	
APPLICATIONS	CONCRETE PUMPER, ASPHALT DISTRIBUTOR, SWEEPER, ROAD PATCHER, REFUSE, CITY DELIVERY/BOX TRUCK, PAINT STRIPER, GEN UTILITY, CITY PUMP, ETC
BODY CAPACITY	5, 6, 7, 8, 9, 10, 11, 12, 13 YARD

Autocar Expert MY 2020 Medium Duty 4X2 Class 7 Standard and Optional Specifications**CAB INSTRUMENTATION**

SPEEDOMETER
TACHOMETER
ENGINE OIL PRESSURE
COOLANT TEMPERATURE
TRANSMISSION OIL TEMPERATURE
VOLTMETER
FUEL LEVEL
HOUR METER
DEF LEVEL
PRIMARY (A) AIR PRESSURE
SECONDARY (B) AIR PRESSURE
ODOMETER
TRIPMETER

CAB WARNING DEVICES

PARK BRAKE
HIGH BEAM
TURN SIGNAL
LOW FUEL
LOW AIR
SEAT BELT
DPF
HEST
AIR RESTRICTION INDICATOR
FILTER WITH WATER IN FUEL INDICATOR

OPERATORS CONTROLS

PARK BRAKE PUSH/PULL
HEADLAMPS
TURN SIGNAL COLUMN MOUNTED
BRAKE PEDAL
ACCELERATOR PEDAL
TRANSMISSION GEAR SELLECTOR PUSH BUTTON

OPTIONAL EQUIPMENT

FIRE EXTINGUISHER DRY TYPE ABC 5LB. CAP MTD. IN CAB
TRIANGLE FLARE KIT IN CAB
ADDITIONAL INSTRUMENTATION
AUTO NEUTRAL
EXHAUST BRAKE
METHANE DETECTION SYSTEM
BATTERY SHUTOFF SWITCH WITH EMERGENCY JUMPER STUDS
PTO CONTROL SWITCH
DAYTIME RUNNING LAMPS